

10/557359
JAP15 Rec'd PCT/PTO 17 NOV 2005

Article 34 Amendment

Detailed statement concerning the amended pages

1. International Application No. PCT/JP2004/007213
2. Item to be amended: Specification, Claims and Drawings
3. Subject matter of Amendment
(Note: Page numbers and line numbers referred to in the following amendment are based on the English translation documents. Therefore, the page numbers and line numbers are different from those in Japanese original documents.)

Specification

- (1) After a phrase "on the floor part with a predetermined height and width," appearing in the 4th lines of Page 5, "and containing a powder radiator radiating electromagnetic waves such as far infrared rays," is additionally inserted.
- (2) After "at one side of the mortar layer for bathers" appearing in the 8th line of Page 5, "and the wastewater catchment part further including . . . exposing the surfaces thereof." is additionally inserted.
- (3) After the 15th line of Page 6, "(7) Since the cobbled stone part is formed at . . . and enhances cleaning-work ability." is additionally inserted.
- (4) After the 10th line of Page 13, "As the cobbled stone, preferably . . . and workability is enhanced." is additionally inserted.

(5) On the 21st line of Page 16, "any one of claims 1 to 3" is amended to read "Claim 3".

(6) On the 6th line of Page 17, "any one of claims 1 to 3" is amended to read "Claim 3".

(7) On the 17th line of Page 18, "any one of claims 1 to 4" is amended to read "Claim 3 or 4".

(8) On the 21st line of Page 18, "any one of claims 1 to 4" is amended to read "Claim 3 or 4".

(9) On the 1-4th of Page 20, "a cobble stone part formed by laying cobbled stones of a radiator on the inclined mortar layer or by embedding cobbled stones of a radiator on the inclined mortar exposing the surfaces thereof" is amended to read "a cobbled stone part formed on the inclined mortar layer".

(10) The 8th line of page 20 to the 11th line of Page 21, "(1) The cobbled stone part is formed by . . . this allows to enhance productivity." are amended as "(1) If the inclined mortar layer is . . . this allows to enhance productivity."

(11) The 19th line of the page 21 to the 7th line of Page 22 "As the cobbled stone, preferably . . . by its ability to decompose sweat odors." are deleted.

(12) After the 3rd line of Page 61, "(8) To provide a sauna room wherein, . . . enhances cleaning-work ability." is additionally inserted.

(13) On the 6-7th of Page 63, "any one of claims 1 to 3" is amended to read "Claim 3".

(14) On the 3-4th of Page 64, "any one of claims 1 to 4" is amended to read "Claim 3 or 4".

(15) The 5th line of page 65 to the 2nd line of Page 66 "(1) To provide a sauna room wherein, since the cobbled stone part . . . a construction site, productivity is enhanced." are amended as "(1) To provide a sauna room wherein . . . , productivity is enhanced.".

Claims

(1) After a phrase "with a predetermined height and width," appearing in the 5th line of Claim 1 of Page 72, "and containing a powder radiator radiating electromagnetic waves such as far infrared rays," is additionally inserted.

(2) After "said mortar layer for bathers" appearing in the 9th line of Claim 1 of Page 72, "and said wastewater catchment part further including a cobbled stone part formed by laying cobbled stones of the radiators or embedding cobbled stones of the radiators exposing the surfaces thereof." is additionally inserted.

(3) On the 1-2nd line of Claim 4 of Page 72, "any one of claims 1 to 3" is amended to read "Claim 3".

(4) On the 1-2nd line of Claim 5 of Page 73, "any one of claims 1 to 4" is amended to read "Claim 3 or 4".

(5) On the 7-10th line of Claim 6 of Page 73, "a cobble stone part formed by laying cobbled stones of a radiator on the inclined mortar layer or by embedding cobbled stones of a radiator on the inclined mortar exposing the surfaces thereof" is amended to read "a cobbled stone part formed on said inclined mortar layer".

Drawing

(1) Drawing of Page 6/11, FIG. 8 is amended as a separate sheet.